

Time: 15:45:03

PALM INTRANET


Inventor Name Search Result

Your Search was:

Last Name = SOONG

First Name = [Nothing Entered]

Application#	Patent#	Status	Date Filed	Title	Inventor Name 50
60516029	Not Issued	020	11/01/2003	METHOD AND SYSTEM FOR ENABLING A GROUP OF INVESTORS TO COLLECTIVELY CREATE AND MANAGE A PORTFOLIO OF SECURITIES OR OTHER ASSETS IN A COST-EFFECTIVE WAY	SOONG, SHIAO- BIN
60509160	Not Issued	020	10/07/2003	ERICSSON GENERALIZED COMMON RATE CONTROL ALGORITHM	SOONG, ANTHONY C.K.
60501216	Not Issued	020	09/08/2003	FORWARD GRANT CHANNEL DESIGN FOR REVERSE LINK SCHEDULING IN CDMA SYSTEMS	SOONG, ANTHONY C.K.
60495477	Not Issued	020	08/15/2003	POWER CONTROL OF ACK/NAK, POWER CONTROL AND RATE CONTROL BITS	SOONG, ANTHONY C.K.
60494685	Not Issued	020	08/12/2003	REVERSE LINK ENHANCEMENTS FOR CDMA2000 1X REVISION D (E- REX)	SOONG, ANTHONY C.K.
60486157	Not Issued	020	07/10/2003	OUTER-LOOP POWER CONTROL AND SOFT HANDOFF LINK QUALITY REPORTING FOR DATA LINKS WITH FRAME ACKNOWLEDGEMENTS FEEDBACK	SOONG, ANTHONY C.K.
60409510	Not Issued	020		SHAPING THE TRANSMISSION AREA OF BROADCAST/MULTICAST SERVICE BASED ON MOBILE STATIONS' LOCATION USING	SOONG, ANTHONY C.K.



l . .					
				SCHEDULING IN A WIRELESS COMMUNICATION NETWORK	
10227578	Not Issued	041	11 1	SHAFT HAVING AXIAL PRE- STRESS	SOONG, TSAI C.
10223838	Not Issued	030	08/20/2002	FORWARD LINK SUPERVISION FOR PACKET DATA USERS IN A WIRELESS COMMUNICATION NETWORK	SOONG, ANTHONY C.K.
10210634	Not Issued	030	07/31/2002	REDUCED STATE TRANSITION DELAY AND SIGNALING OVERHEAD FOR MOBILE STATION STATE TRANSITIONS	SOONG, ANTHONY C.K.
10065988	Not Issued	030	12/06/2002	SYSTEM AND METHOD FOR DESIGN, DEVELOPMENT, AND DEPLOYMENT OF DISTRIBUTED APPLICATIONS THAT SHARE DATA FROM HETEROGENEOUS AND AUTONOMOUS SOURCES OVER THE WEB	SOONG, EDWARD L.W.
10001190	Not Issued	030	11 " ' ' '	MULTI-LEVEL AUDIENCE PROCESSING	SOONG, SHIAO- BIN
09966570	6547854	150	09/25/2001	NOVEL AMINE ENRICHED SOLID SORBENTS FOR CARBON DIOXIDE CAPTURE	SOONG, YEE
09957663	Not Issued	095	09/19/2001	METHOD AND APPARATUS FOR DETECTING FLICKER IN AN LCD IMAGE	SOONG, JIH HSIEN
09954983	Not Issued	161	III	STRESS RESISTANT RETROVIRUSES	SOONG, NAY WEI
09949000	Not Issued	160	09/06/2001	NOVEL MURINE LEUKEMIA VIRUSES	SOONG, NAY WEI
09878196	6681938	150	06/12/2001	DEVICE AND METHOD FOR SEPARATING MINERALS, CARBON AND CEMENT ADDITIVES FROM FLY ASH	SOONG, YEE
09837227	Not Issued	161	04/19/2001	PROCESS FOR THE PREPARATION OF CONJUGATED ESTROGENS FROM PREGNANT MARE URINE	SOONG, VALLAPA
09834406	6472943	150	04/13/2001	OSCILLATING CIRCUIT AND METHOD FOR CALIBRATING SAME	SOONG, ANTHONY CHAK KEUNG
<u>09824076</u>	6701291	150	04/02/2001	AUTOMATIC SPEECH	SOONG, FRANK

09723658	Not Issued	161	11/28/2000	PSYCHOACOUSTICALLY-BASED FEATURE EXTRACTION, USING EASILY-TUNABLE SINGLE-SHAPED FILTERS ALONG LOGARITHMIC-FREQUENCY AXIS MODIFICATION OF VIRUS TROPISM AND HOST RANGE BY VIRAL GENOME SHUFFLING	SOONG, NAY WEI
09709865	Not Issued	030	11/10/2000	SYSTEM AND METHOD FOR CONDUCTING ON-LINE BUSINESS-TO-BUSINESS COMMERCE	SOONG, EDWARD L. W.
09691046	Not Issued	161	10/19/2000	BRAKING HINGE	SOONG, SHIN
09690953	Not Issued	030	11 - 1	METHOD AND SYSTEM FOR OPTIMIZED DETERMINATION OF HEALTH CARE PROVIDER OVER COMMUNICATIONS NETWORK	SOONG, JAMES W.
09689452	Not Issued	161		GOLF CLUB SHAFT HAVING TENSILE PRE-STRESS AND AN INNER MEMBER	SOONG, TSAI C.
09678375	6345433	150	10/03/2000	FABRICATION METHOD FOR HIGH SPEED INDUCTION MOTOR ROTOR	SOONG, WEN LIANG
09652415	Not Issued	030	III.		SOONG, JIH- HSIEN
09573469	RE37576	150	05/17/2000		SOONG, WEN LIANG
09572285	Not Issued	161	05/17/2000	STRUCTURE OF THE TRANSMISSION DEVICE FOR OPTIC MODULE IN A SCANNER	SOONG, SHIN
09562424	Not Issued	061	05/01/2000	SYSTEM AND METHOD FOR ENABLING ATOMIC CLASS LOADING IN AN APPLICATION SERVER ENVIRONMENT	SOONG, MILTON
09561697	Not Issued	071	05/01/2000	SYSTEM AND METHOD FOR ENABLING DYNAMIC CLASS RELOADING IN AN	SOONG, MILTON

			APPLICATION SERVER ENVIRONMENT	
09500977	Not Issued	071	SYSTEM AND METHOD FOR SECURE ON THE FLY HOME HEALTH CARE RECORDS MANIPULATION	SOONG, JAMES W.
<u>09480609</u>	6166469	150		SOONG, WEN LIANG
09472275	Not Issued	071		SOONG, JAMES W.
09265204	6687238	150	 CDMA SIGNAL TRANSMISSION CONTROL	SOONG, ANTHONY

Search and Display More Records.

Caranala Assaultana Taranasa Assau	Last Name	First Name	
Search Another: Inventor	soong		Search

To go back use Back button on your browser toolbar.





Time: 15:46:52

* PALM INTRANET


Inventor Name Search Result

Your Search was:

Last Name = KOBAYASHI

First Name = OSAMU

Application#	Patent#	Status	Date Filed	Title	Inventor Name 50
60539833	Not Issued	020	01/27/2004	ENABLING EITHER FRC (FRAME REATE CONVERSION) OR OVERDRIVE (FOR LCD PANEL MOTION BLURRINESS REDUCTION	KOBAYASHI, OSAMU
60538985	Not Issued	020	01/23/2004	ENABLING INSTANT & LOWER-POWER DVD PLAYBACK ON A NOTEBOOK PC WITH SMART TCON	KOBAYASHI, OSAMU
60184999	Not Issued	159	02/25/2000	DISPLAY UNIT STORING AND USING A CRYPTOGRAPHY KEY	KOBAYASHI, OSAMU
10716522	Not Issued	020	11/20/2003	COMMUNICATION CONTROL DEVICE AND METHOD FOR IMAGE FORMING SYSTEM	KOBAYASHI, OSAMU
10420881	Not Issued	030	04/23/2003	INDUCTOR	KOBAYASHI, OSAMU
10398376	Not Issued	030	04/04/2003	TRANSISTOR AND DISPLAY COMPRISING IT	KOBAYASHI, OSAMU
10214326	Not Issued	030	08/08/2002	MN-ZN FERRITE AND COIL COMPONENT WITH MAGNETIC CORE MADE OF SAME	KOBAYASHI, OSAMU
10210055	Not Issued	071	08/02/2002	MN-ZN FERRITE AND COIL COMPONENT USING SAME	KOBAYASHI, OSAMU
10195806	Not Issued	030		OPTICAL FIBER COUPLER RECEPTACLE MEMBER	KOBAYASHI, OSAMU
10163367	Not Issued	071		INDUCTANCE DEVICE FORMED ON SEMICONDUCTOR	KOBAYASHI, OSAMU



				MOLDED SEALING COMPOSITION FOR SEALING AGAINST PERMEATION OF CARBON DIOXIDE GAS	OSAMU
09690902	6440323	150	10/18/2000	MN-ZN FERRITE AND PRODUCTION PROCESS THEREOF	KOBAYASHI, OSAMU
09666666	Not Issued	094	04/07/2000	GENERATING HIGH QUALITY IMAGES IN A DISPLAY UNIT WITHOUT BEING AFFECTED BY ERROR CONDITIONS IN SYNCHRONIZATION SIGNALS CONTAINED IN DISPLAY SIGNALS	KOBAYASHI, OSAMU
09652415	Not Issued	030	08/31/2000	DISPLAY UNIT STORING AND USING A CRYPTOGRAPHY KEY	KOBAYASHI, OSAMU
09578930	6340055	150		HEAT EXCHANGER HAVING MULTI-HOLE STRUCTURED TUBE	KOBAYASHI, OSAMU
09547348	6329842	150	14 1	OUTPUT CIRCUIT FOR ELECTRONIC DEVICES	KOBAYASHI, OSAMU
09541985	6296791	150	04/03/2000	PROCESS FOR PRODUCING MN-ZN FERRITE	KOBAYASHI, OSAMU
<u>09506056</u>	Not Issued	161	02/17/2000	TUBE FOR RADIATOR AND EVAPORATOR OF SUPERCRITICAL REFRIGERATION CYCLE	KOBAYASHI, OSAMU
09484832	6189604	150	II I	HEAT EXCHANGER FOR INSIDE/OUTSIDE AIR TWO- PASSAGE UNIT	KOBAYASHI, OSAMU
09471402	6696504	150		EXTRUDED STYRENE RESIN FOAMS, AND METHOD FOR PRODUCING THE SAME	KOBAYASHI , OSAMU
08112486	5386886	150	11 1	ELEVATOR DOOR LOCK MECHANISM	KOBAYASHI , OSAMU
08097870	Not Issued	166	07/27/1993	INPUT/OUTPUT PROTECTION CIRCUIT AND SEMICONDUCTOR DEVICE HAVING THE SAME	KOBAYASHI , OSAMU
07815659	5186761	150	11	PERMANENT MAGNET AND METHOD OF PRODUCTION	KOBAYASHI , OSAMU
07527687	Not Issued	166	II I	PERMANENT MAGNET AND METHOD OF PRODUCTION	KOBAYASHI , OSAMU

07524687	Not Issued	166	I 1	PERMANENT MAGNET AND METHOD OF PRODUCTION	KOBAYASHI , OSAMU
07241817	4881630	150	11	COIN DISCRIMINATING APPARATUS	KOBAYASHI , OSAMU
06847341	Not Issued	161		PROCESS FOR MANUFACTURING MOLDS AND MOLDS MADE THEREBY	KOBAYASHI , OSAMU
<u>06680546</u>	D292008	150	ll l	COIN SELECTOR FOR AUTOMATIC VENDOR	KOBAYASHI , OSAMU
06656585	4678072	150	10/01/1984	BILL VALIDATING AND ACCUMULATING DEVICE	KOBAYASHI , OSAMU
06643845	4576275	150	li l	COIN DISCRIMINATION APPARATUS	KOBAYASHI , OSAMU
06594541	D288377	150	03/29/1984	BILL VALIDATOR	KOBAYASHI , OSAMU
06537832	4487731	150	1	PROCESS AND APPARATUS FOR PRODUCING FOAMED SYNTHETIC RESIN BODIES	KOBAYASHI , OSAMU
06534114	4469751	150	13	MAGNETIC RECORDING MEDIA COMPRISING SPECIFIC TYPES OF SILICONE LUBRICANTS IN THE MAGNETIC LAYER THEREOF	KOBAYASHI , OSAMU
06521579	Not Issued	166		MAGNETIC RECORDING MEDIA COMPRISING AND ANTISTATIC AGENT- CONTAINING RESIN LAYER PROVIDED BETWEEN A SUPPORT AND A MAGNETIC RECORDING LAYER	KOBAYASHI , OSAMU
06514185	4540081	150		BILL ACCEPTING DEVICE AND METHOD FOR CONTROLLING ACCEPTING OF BILLS	KOBAYASHI , OSAMU
06498841	4556139	150	05/27/1983	BILL ACCEPTING DEVICE	KOBAYASHI , OSAMU

Search and Display More Records.

Search Another: Inventor	Last Name	First Name	
Search Another. Inventor	kobayashi	osamu	Search

To go back use Back button on your browser toolbar.



PALM INTRANET

Day: Friday Date: 2/27/2004

Time: 15:48:37

Inventor Name Search Result

Your Search was:

Last Name = NOORBAKHSH

First Name = ALI

Application#	Patent#	Status	Date Filed	Title	Inventor Name 4
60184999	Not Issued	159	02/25/2000	DISPLAY UNIT STORING AND USING A CRYPTOGRAPHY KEY	NOORBAKHSH, ALI
<u>09652415</u>	Not Issued	030	08/31/2000	DISPLAY UNIT STORING AND USING A CRYPTOGRAPHY KEY	NOORBAKHSH, ALI
08493665	5668941	150	06/22/1995	OPTIMUM IMPLEMENTATION OF X-Y CLIPPING ON PIXEL BOUNDARY	NOORBAKHSH, ALI
08447493	<u>5699498</u>	150	05/23/1995	TECHNIQUE AND APPARATUS FOR COLOR EXPANSION INTO A NON- ALIGNED 24 BIT RGB COLOR-SPACE FORMAT	NOORBAKHSH , ALI

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name First Name

noorbakhsh ali Search

To go back use Back button on your browser toolbar.

Day : Friday Date: 2/27/2004

Time: 15:49:18

. * PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = HANG First Name = CHIA-

Application#	Patent#	Status	Date Filed	Title	Inventor Name 10
60184999	Not Issued	159	02/25/2000	DISPLAY UNIT STORING AND USING A CRYPTOGRAPHY KEY	HANG, CHIA- LUN
10016799	Not Issued	030	10/30/2001	TRANSPARENT SDRAM IN AN EMBEDDED ENVIRONMENT	HANG, CHIA- LUN
<u>09652415</u>	Not Issued	030	08/31/2000	DISPLAY UNIT STORING AND USING A CRYPTOGRAPHY KEY	HANG, CHIA- LUN
08934027	5923665	150	09/19/1997	MEMORY CONTROLLER FOR DECODING A COMPRESSED/ENCODED VIDEO DATA FRAME	HANG , CHIA- LUN
08922524	<u>5859635</u>	150	09/03/1997	POLARITY SYNCHRONIZATION METHOD AND APPARATUS FOR VIDEO SIGNALS IN A COMPUTER SYSTEM	HANG , CHIA- LUN
08808556	5974494	150	02/28/1997	METHOD AND APPARATUS FOR PACKING DIGITAL DATA	HANG , CHIA- LUN
08471129	Not Issued	168	06/06/1995	POLARITY SYNCHRONIZATION METHOD AND APPARATUS FOR VIDEO SIGNALS IN A COMPUTER SYSTEM	HANG , CHIA- LUN
08372794	5838380	150	12/23/1994	IMPROVED MEMORY CONTROLLER FOR DECODING A COMPRESSED/ENCODED VIDEO DATA FRAME	HANG, CHIA- LUN
08344758	5487049	150	11/23/1994	PAGE-IN, BURST-OUT FIFO	HANG , CHIA- LUN
08238273	5649127	150		METHOD AND APPARATUS FOR PACKING DIGITAL DATA	HANG , CHIA- LUN

Inventor Search Completed: No Records to Display.

Last Name

First Name

Search Another: Inventor	Hang	chia-	Search
Search Another: Inventor	папу	Cilia-	@GETIMIN

To go back use Back button on your browser toolbar.

Day: Friday Date: 2/27/2004

Time: 15:50:08

* PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = CHAN First Name = TZOYAO

Application#	Patent#	Status	Date Filed	Title	Inventor Name 16
60184999	Not Issued	159	02/25/2000	DISPLAY UNIT STORING AND USING A CRYPTOGRAPHY KEY	CHAN, TZOYAO
60009161	Not Issued	159	12/22/1995	UNIVERSAL MPEG DECODER WITH SCALABLE PICTURE SIZE	CHAN, TZOYAO
10109891	Not Issued	041	04/01/2002	MONOLITHIC INTEGRATED CIRCUIT IMPLEMENTED IN A DIGITAL DISPLAY UNIT FOR GENERATING DIGITAL DATA ELEMENTS FROM AN ANALOG DISPLAY SIGNAL RECEIVED AT HIGH FREQUENCIES	CHAN, TZOYAO
09652415	Not Issued	030	08/31/2000	DISPLAY UNIT STORING AND USING A CRYPTOGRAPHY KEY	CHAN, TZOYAO
09135216	6459426	150	08/17/1998	MONOLITHIC INTEGRATED CIRCUIT IMPLEMENTED IN A DIGITAL DISPLAY UNIT FOR GENERATING DIGITAL DATA ELEMENTS FROM AN ANALOG DISPLAY SIGNAL RECEIVED AT HIGH FREQUENCIES	CHAN, TZOYAO
08934027	5923665	150	09/19/1997	MEMORY CONTROLLER FOR DECODING A COMPRESSED/ENCODED VIDEO DATA FRAME	CHAN, TZOYAO
08770453	5831640	150		ENHANCED TEXTURE MAP DATA FETCHING CIRCUIT AND METHOD	CHAN, TZOYAO
08770451	Not Issued	161	12/20/1996	ENHANCED METHODS AND SYSTEMS FOR CACHING AND PIPELINING OF GRAPHICS TEXTURE DATA	CHAN, TZOYAO

08622330	5832120	150	03/26/1996	UNIVERSAL MPEG DECODER WITH SCALABLE PICTURE SIZE	CHAN, TZOYAO
08409243	5608877	150		RESET BASED COMPUTER BUS IDENTIFICATION METHOD AND CIRCUIT RESILIENT TO POWER TRANSIENCE	CHAN, TZOYAO
08372794	5838380	150	12/23/1994	IMPROVED MEMORY CONTROLLER FOR DECODING A COMPRESSED/ENCODED VIDEO DATA FRAME	CHAN, TZOYAO
08358610	5815634	150	!!	STREAM SYNCHRONIZATION METHOD AND APPARATUS FOR MPEG PLAYBACK SYSTEM	CHAN, TZOYAO
08316015	5594660	150	09/30/1994	PROGRAMMABLE AUDIO- VIDEO SYNCHRONIZATION METHOD AND APPARATUS FOR MULTIMEDIA SYSTEMS	CHAN, TZOYAO
07982039	Not Issued	161	11/24/1992	CACHE MEMORY CONTROLLER WITH BURST AND HIDDEN REFRESH	CHAN, TZOYAO
07981329	5345577	150	11/24/1992	DRAM REFRESH CONTROLLER WITH IMPROVED BUS ARBITRATION SCHEME	CHAN, TZOYAO
07420851	Not Issued	166	10/13/1989	CACHE MEMORY CONTROLLER WITH BURST AND HIDDEN REFRESH	CHAN, TZOYAO

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	4
Scarch Another: Inventor	chan	tzoyao	Search

To go back use Back button on your browser toolbar.

L Number	Hits		DB	Time stamp
1	2	5237610.pn.	USPAT; US-PGPUB; EPO; JPO;	2004/02/27 14:57
_	19	(encrypt\$3 near key) and (stor\$3 near key)	DERWENT; IBM_TDB USPAT;	2004/02/26 09:25
		and ((analog digital) near ("display unit" monitor))	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	11	<pre>((encrypt\$3 near key) and (stor\$3 near key) and ((analog digital) near ("display unit" monitor))) and protocol</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 09:28
-	10	cryptography and (encrypt\$3 near key) and (stor\$3 near key) and ((analog digital) near ("display unit" monitor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 09:31
-	2	(stor\$3 near key) and ((analog digital) near ("display unit" monitor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:05
-	0	(encrypt\$3 near "encryption key") and (stor\$3 near key) and ((analog digital) near ("display unit" monitor)) and "encryption protocol"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:35
_	11	(encrypt\$3 near "encryption key") and (stor\$3 near key) and "encryption protocol"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 09:39
-	0	<pre>(encrypt\$3 near "encryption key") and "integarated circuit" and (stor\$3 near key) and "encryption protocol"</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 09:39
-	11	(encrypt\$3 near "encryption key") and (stor\$3 near key) and "encryption protocol"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 09:40
-	10	(encrypt\$3 near (authentication encryption) near key) and (stor\$3 near key) and "encryption protocol"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 09:52
-	0	<pre>(((encrypt\$3 near ((authentication encryption) near key)) and (stor\$3 near key) and "encryption protocol") and decryptor) and ((encrypt\$3 near (authentication encryption) near key) and (stor\$3 near key) and "encryption protocol")</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:53
-	10		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 09:55
-	0	((encrypt\$3 near ((authentication encryption) near key)) and (stor\$3 near key) and "encryption protocol") and (destroy\$3 near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 09:55

			_	
-	0	((encrypt\$3 near ((authentication encryption) near key)) and (stor\$3 near	USPAT; US-PGPUB;	2004/02/23 09:58
		key) and "encryption protocol") and "key encryption circuit"	EPO; JPO; DERWENT;	
-	0	((encrypt\$3 near ((authentication encryption) near key)) and (stor\$3 near	IBM_TDB USPAT; US-PGPUB;	2004/02/23 09:59
		key) and "encryption protocol") and "encryption circuit"	EPO; JPO; DERWENT;	
-	61	(encrypt\$3 near ((authentication	IBM_TDB USPAT:	2004/02/23 10:03
		encryption) near key)) and (stor\$3 near key) and "encryption protocol"	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	0	((encrypt\$3 near ((authentication encryption) near key)) and (stor\$3 near	USPAT; US-PGPUB;	2004/02/23 10:05
	:	key) and "encryption protocol" and memory) and "c protocol"	EPO; JPO; DERWENT; IBM TDB	
-	53	(encrypt\$3 near ((authentication encryption) near key)) and (stor\$3 near	USPAT; US-PGPUB;	2004/02/25 17:23
		key) and "encryption protocol" and memory	EPO; JPO; DERWENT;	
-	6373	(encrypt\$3 near ((authentication encryption) near key))	IBM_TDB USPAT; US-PGPUB;	2004/02/23 10:09
		encryption, hear key,,	EPO; JPO; DERWENT;	
_	2026	((encrypt\$3 near ((authentication encryption) near key))) and ("display	IBM_TDB USPAT; US-PGPUB;	2004/02/23 10:22
		unit" or monitor) and memory	EPO; JPO; DERWENT;	
-	858	(((encrypt\$3 near ((authentication encryption) near key))) and ("display	IBM_TDB USPAT; US-PGPUB;	2004/02/23 10:11
		unit" or monitor) and memory) and (stor\$3 near key)	EPO; JPO; DERWENT; IBM TDB	
_	53	(((encrypt\$3 near ((authentication encryption) near key))) and ("display	USPAT; US-PGPUB;	2004/02/23 10:11
		unit" or monitor) and memory) and (stor\$3 near (encrypted near key))	EPO; JPO; DERWENT; IBM TDB	
_	0	((((encrypt\$3 near ((authentication encryption) near key))) and ("display	USPAT; US-PGPUB;	2004/02/23 10:12
		unit" or monitor) and memory) and (stor\$3 near (encrypted near key))) and	EPO; JPO; DERWENT; IBM TDB	
_	31	<pre>(encryption near protocol) ((((encrypt\$3 near ((authentication encryption) near key))) and ("display</pre>	USPAT; US-PGPUB;	2004/02/23 10:15
		unit" or monitor) and memory) and (stor\$3 near (encrypted near key))) and (protocol)	EPO; JPO; DERWENT;	
_	33	((((encrypt\$3 near ((authentication encryption) near key))) and ("display	IBM_TDB USPAT; US-PGPUB;	2004/02/23 10:16
		unit" or monitor) and memory) and (stor\$3 near key)) and "cathode ray tube"	EPO; JPO; DERWENT;	
_	310	((encrypt\$3 near ((authentication encryption) near key))) and ("display	IBM_TDB USPAT; US-PGPUB;	2004/02/23 10:26
		unit" or monitor) and eeprom	EPO; JPO; DERWENT; IBM TDB	
-	316	((encrypt\$3 near ((authentication encryption) near key))) and ("display	USPĀT; US-PGPUB;	2004/02/23 10:27
		unit" or monitor or "dvd player" or "hdtv") and eeprom	EPO; JPO; DERWENT; IBM TDB	

-	6	(((encrypt\$3 near ((authentication	USPAT;	2004/02/23 10:43
		encryption) near key))) and ("display unit" or monitor or "dvd player" or	US-PGPUB;	
1		"hdtv") and eeprom) not (((encrypt\$3 near	EPO; JPO; DERWENT;	
		((authentication encryption) near key)))	IBM TDB	
1		and ("display unit" or monitor) and	15.1_155	
ĺ		eeprom)		
-	5753	(receiv\$3 near key) and ("display unit" tv	USPAT;	2004/02/23 10:45
		"dvd player" computer pc)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	31	//	IBM_TDB USPAT;	2004/02/23 10:46
-	31	((receiv\$3 near key) and ("display unit" tv "dvd player" computer pc)) and	US-PGPUB;	2004/02/23 10:46
		(encrypt\$3 near key) and "encryption	EPO; JPO;	
		protocol"	DERWENT;	
			IBM TDB	
-	0	(((receiv\$3 near key) and ("display unit"	USPĀT;	2004/02/23 10:47
		tv "dvd player" computer pc)) and	US-PGPUB;	
		(encrypt\$3 near key) and "encryption	EPO; JPO;	
		protocol") and (stor\$3 near "encrypted	DERWENT;	
_	0	key") and eeprom	IBM_TDB USPĀT;	2004/02/23 10:47
-		(((receiv\$3 near key) and ("display unit" tv "dvd player" computer pc)) and	USPAT; US-PGPUB;	2004/02/23 10:4/
		(encrypt\$3 near key) and "encryption	EPO; JPO;	
	•	protocol") and (stor\$3 near "encrypted	DERWENT;	
		key")	IBM TDB	
-	72	((receiv\$3 near key) and ("display unit"	USPĀT;	2004/02/23 10:48
		tv "dvd player" computer pc)) and (stor\$3	US-PGPUB;	
		near "encrypted key")	EPO; JPO;	
			DERWENT;	
	15	(((receiv\$3 near key) and ("display unit"	IBM_TDB USPAT;	2004/02/23 10:51
-	13	tv "dvd player" computer pc)) and (stor\$3	US-PGPUB;	2004/02/23 10.31
		near "encrypted key")) and "decryption	EPO; JPO;	
		unit"	DERWENT;	
			IBM TDB	
-	160	((receiv\$3 near key) and ("display unit"	USPĀT;	2004/02/23 11:03
		tv "dvd player" computer pc)) and	US-PGPUB;	
		(decryptor "decrypting circuit")	EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(((receiv\$3 near key) and ("display unit"	USPAT;	2004/02/23 10:53
		tv "dvd player" computer pc)) and	US-PGPUB;	2001,02,23 10.33
1		(decryptor "decrypting circuit")) and	EPO; JPO;	
		((analog digital) near "display unit")	DERWENT;	
			IBM_TDB	
-	137	(((receiv\$3 near key) and ("display unit"	USPAT;	2004/02/23 10:53
		tv "dvd player" computer pc)) and	US-PGPUB;	
		(decryptor "decrypting circuit")) and ((analog digital))	EPO; JPO; DERWENT;	
	1	((unaiog digital))	IBM TDB	
-	24	((((receiv\$3 near key) and ("display unit"	USPAT;	2004/02/23 10:53
	1	tv "dvd player" computer pc)) and	US-PGPUB;	
		(decryptor "decrypting circuit")) and	EPO; JPO;	
		((analog digital))) and pixel	DERWENT;	
			IBM_TDB	0004/00/00 55 55
-	71		USPAT;	2004/02/23 11:04
		tv "dvd player" computer pc)) and (decryptor "decrypting circuit") and	US-PGPUB; EPO; JPO;	
		"encrypted key"	DERWENT;	
			IBM TDB	
-	0	(((receiv\$3 near key) and ("display unit"	USPAT;	2004/02/23 11:04
		tv "dvd player" computer pc)) and	US-PGPUB;	
		(decryptor "decrypting circuit") and	EPO; JPO;	
		"encrypted key") and "display unit"	DERWENT;	
	1	/// / / / / / / / / / / / / / / / / / /	IBM_TDB	2004/02/22 11 25
-	48		USPAT;	2004/02/23 11:05
		tv "dvd player" computer pc)) and (decryptor "decrypting circuit") and	US-PGPUB; EPO; JPO;	
	1	"encrypted key") and display	DERWENT;	
			IBM TDB	
·	·			·

-	1	((((receiv\$3 near key) and ("display unit"	USPAT;	2004/02/23 11:05
		tv "dvd player" computer pc)) and (decryptor "decrypting circuit") and	US-PGPUB; EPO; JPO;	
		"encrypted key") and display) and	DERWENT;	
		"encryption protocol"	IBM TDB	
-	3	(encrypt\$3 near key) and (stor\$3 near key)	USPĀT;	2004/02/23 14:29
		and ((analog digital) near ("display unit"	US-PGPUB;	
		monitor)) and ((encryption decryption)	EPO; JPO;	
		near unit)	DERWENT;	
l _	3	(encrypt\$3 near ((encryption	IBM_TDB USPAT;	2004/02/23 14:40
-	3	authentication) near key) and (stor\$3	US-PGPUB;	2004/02/23 14.40
		near key) and ((analog digital) near	EPO; JPO;	
		("display unit" monitor)) and ((encryption	DERWENT;	
		decryption) near unit)	IBM_TDB	
-	3	((encrypt\$3 near key) and (stor\$3 near	USPAT;	2004/02/23 14:30
		key) and ((analog digital) near ("display	US-PGPUB; EPO; JPO;	
		unit" monitor)) and ((encryption decryption) near unit)) and ((encrypt\$3	DERWENT;	
	1	near ((encryption authentication) near	IBM TDB	
		key)) and (stor\$3 near key) and ((analog		
1		digital) near ("display unit" monitor))		
		and ((encryption decryption) near unit))		0004/00/00
-	6		USPAT;	2004/02/23 14:41
		authentication) near key)) and (stor\$3 near key) and ((analog digital) near	US-PGPUB; EPO; JPO;	
		("display unit" monitor or hdtv or "dvd	DERWENT;	
		player" tv)) and (((encryption decryption)	IBM TDB	
		near unit) (encryptor decryptor))	_	
_	3	11	USPAT;	2004/02/23 14:42
		authentication) near key)) and (stor\$3	US-PGPUB;	
		near key) and ((analog digital) near	EPO; JPO;	
		("display unit" monitor or hdtv or "dvd player" tv)) and (((encryption decryption)	DERWENT; IBM TDB	
		near unit) (encryptor decryptor))) not	15155	
		((encrypt\$3 near ((encryption		
		authentication) near key)) and (stor\$3		
		near key) and ((analog digital) near		
		("display unit" monitor)) and ((encryption		
_	121	decryption) near unit)) (transmit\$3 near (encrypted near key))	USPAT;	2004/02/25 08:07
	121	(transmitty) hear (entrypted hear key))	US-PGPUB;	2004/02/23 00.07
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	((transmit\$3 near (encrypted near key)))	USPAT;	2004/02/23 15:32
		and (stor\$3 near (encrypted near key))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	4	((USPĀT;	2004/02/23 15:35
		and (stor\$3 near (encrypted near key))and	US-PGPUB;	
		eeprom	EPO; JPO;	
1			DERWENT; IBM TDB	
_	25	((transmit\$3 near (encrypted near key)))	USPAT;	2004/02/23 15:35
		and (decrypt\$3 near (encrypted near key))	US-PGPUB;	=====================================
			EPO; JPO;	
1			DERWENT;	
		///hannaité2 noon /oranited noon le 222	IBM_TDB	2004/02/22 15:20
-	3	<pre>(((transmit\$3 near (encrypted near key))) and (decrypt\$3 near (encrypted near key)))</pre>	USPAT; US-PGPUB;	2004/02/23 15:39
		and (decrypts hear (encrypted hear key))) and (stor\$3 near (encrypted near key)) and	EPO; JPO;	
		eeprom	DERWENT;	
		-	IBM_TDB	
-	8847	(display adj1 unit) and decoder	USPĀT;	2004/02/23 15:39
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	1	L	1 100 100	1

-	1396	((display adj1 unit) and decoder) and ((storage near unit) or eeprom)	USPAT; US-PGPUB;	2004/02/23 15:41
		((Storage hear unit) of eeprom,	EPO; JPO;	
			DERWENT;	
	00	///d/	IBM_TDB	2004/02/23 15:50
-	20	(((display adj1 unit) and decoder) and ((storage near unit) or eeprom)) and	USPAT; US-PGPUB;	2004/02/23 15:50
		((digital or analog) near "display unit")	EPO; JPO;	
		((augusta au amanog, mana auspen)	DERWENT;	
			IBM_TDB	
-	1 0	200/201	USPAT USPAT;	2004/02/23 15:45 2004/02/23 15:50
-	O I	380/281.pn.	US-PGPUB;	2004/02/23 13.30
			EPO; JPO;	
ļ			DERWENT;	
	179	 380/281.ccls.	IBM_TDB USPAT;	2004/02/23 15:53
_	1/9	360/261.0018.	US-PGPUB;	2004/02/23 13.33
			EPO; JPO;	
			DERWENT;	
	_	200/0011	IBM TDB	2004/02/23 16:18
-	6	380/281.ccls. and (transmit\$3 near (encrypted near key))	USPAT; US-PGPUB;	2004/02/23 16:16
		(choripeda hour koji)	EPO; JPO;	
			DERWENT;	
	_	200/2041	IBM_TDB USPAT;	2004/02/23 15:56
-	7	380/284.ccls. and (transmit\$3 near (encrypted near key))	US-PGPUB;	2004/02/23 15:56
		(enerypted near key//	EPO; JPO;	
			DERWENT;	
	1107	(IBM_TDB	2004/02/23 16:01
_	1127	(access\$3 near content) and ((decrypt\$3 encrypt\$3) near key)	USPAT; US-PGPUB;	2004/02/23 16:01
		encrypt(3) hear key)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/02/23 15:57
-	57	((access\$3 near content) and ((decrypt\$3 encrypt\$3) near key)) and "display unit"	USPAT; US-PGPUB;	2004/02/23 15:57
		enerypeys, near key,, and display unit	EPO; JPO;	
			DERWENT;	
	5.0	///	IBM_TDB USPAT;	2004/02/23 15:57
-	56	<pre>(((access\$3 near content) and ((decrypt\$3 encrypt\$3) near key)) and "display unit")</pre>	US-PGPUB;	2004/02/23 13:37
		and memory	EPO; JPO;	
		-	DERWENT;	
	1.4	////	IBM_TDB	2004/02/23 15:58
_	14	<pre>((((access\$3 near content) and ((decrypt\$3 encrypt\$3) near key)) and "display unit")</pre>	USPAT; US-PGPUB;	2004/02/23 13:58
		and memory) and eeprom	EPO; JPO;	
			DERWENT;	
	1.0	(account) and (anarymted	IBM_TDB USPAT;	2004/02/23 16:02
-	18	(access\$3 near content) and (encrypted near key) and (decryptor)	USPAT; US-PGPUB;	2004/02/23 10:02
		Total work (door 1 poor)	EPO; JPO;	
			DERWENT;	
] ,,	290/294 cala	IBM_TDB USPAT;	2004/02/23 16:06
-	74	380/284.ccls.	US-PGPUB;	2004/02/23 10:00
			EPO; JPO;	
			DERWENT;	
	101	(transmit\$3 near (energeted near key))	IBM_TDB USPAT;	2004/02/23 16:18
1	121	(transmit\$3 near (encrypted near key))	US-PGPUB;	2004/02/23 10.10
			EPO; JPO;	
			DERWENT;	
	1 , ,	//transmit62 near (operanted near ker)))	IBM_TDB USPAT;	2004/02/25 07:59
-	13	((transmit\$3 near (encrypted near key))) and (stor\$3 near (encrypted near key))	USPAT; US-PGPUB;	2004/02/23 07:39
		(See 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EPO; JPO;	
			DERWENT;	
L	<u> </u>		IBM TDB	1

-	2	5237610.pn.	USPAT;	2004/02/25 08:01
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	65	(stor\$3 near (encrypted near key)) and	USPAT;	2004/02/25 09:13
		(decrypt\$3 near (encrypted near key))	US-PGPUB;	2000, 12, 20
		(EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	57	((stor\$3 near (encrypted near key)) and	USPAT;	2004/02/25 08:03
[(decrypt\$3 near (encrypted near key))) and	US-PGPUB;	
		(memory "display unit" tv)	EPO; JPO; DERWENT;	
			IBM TDB	
_	58	((stor\$3 near (encrypted near key)) and	USPAT;	2004/02/25 08:04
		(decrypt\$3 near (encrypted near key))) and	US-PGPUB;	2000,02,20
		(memory eeprom)	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	25	(((stor\$3 near (encrypted near key)) and	USPAT;	2004/02/25 08:04
		(decrypt\$3 near (encrypted near key))) and	US-PGPUB;	
]	(memory eeprom)) and ("display unit" HDTIV DVD)	EPO; JPO; DERWENT;	
		ן מאס אדומון	IBM TDB	
_	7	(transmit\$3 near (encrypted near key)) AND	USPAT;	2004/02/25 08:07
	 	(((stor\$3 near (encrypted near key)) and	US-PGPUB;	
		(decrypt\$3 near (encrypted near key))) and	EPO; JPO;	
		(memory eeprom))	DERWENT;	
			IBM_TDB	
-	0	((stor\$3 near (encrypted near key)) and	USPAT;	2004/02/25 08:37
		(decrypt\$3 near (encrypted near key))) and	US-PGPUB;	
		(conditional\$2 near access\$3)	EPO; JPO; DERWENT;	
			IBM TDB	
_	0	((stor\$3 near (encrypted near key)) and	USPAT;	2004/02/25 08:34
		(decrypt\$3 near (encrypted near key))) and	US-PGPUB;	
		(retreiv\$3 near info)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	((stor\$3 near (encrypted near key)) and	USPAT;	2004/02/25 08:37
1		(decrypt\$3 near (encrypted near key))) and (hdtv)	US-PGPUB; EPO; JPO;	
		(HUCV)	DERWENT;	
			IBM TDB	·
_	25	((stor\$3 near (encrypted near key)) and	USPĀT;	2004/02/25 08:37
		(decrypt\$3 near (encrypted near key))) and	US-PGPUB;	
		(dvd)	EPO; JPO;	
			DERWENT;	
		///	IBM_TDB	2004/02/25 20 27
-	25	(((stor\$3 near (encrypted near key)) and (decrypt\$3 near (encrypted near key))) and	USPAT; US-PGPUB;	2004/02/25 08:37
		(decrypts3 hear (encrypted hear key))) and (dvd)) and ((((stor\$3 hear (encrypted hear	EPO; JPO;	
		key)) and (decrypt\$3 near (encrypted near	DERWENT;	
		key))) and (memory eeprom)) and ("display	IBM TDB	
		unit" HDTIV DVD))	_	
-	8	(((stor\$3 near (encrypted near key)) and	USPAT;	2004/02/25 08:56
		(decrypt\$3 near (encrypted near key))) and	US-PGPUB;	
		(dvd)) and eeprom	EPO; JPO;	
			DERWENT; IBM TDB	
_	3	473442.pn.	USPAT;	2004/02/25 08:57
		1.01.E.p	US-PGPUB;	2001,02,20 00.07
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	2	5029207.pn.	USPĀT;	2004/02/25 08:57
1			US-PGPUB; EPO; JPO;	
			DERWENT;	
1			IBM TDB	
L	L			<u> </u>

(decrypt\$3 near (encrypted near key))) and (TMDS near format) 19 TMDS near format 19 TMDS near format 10 (TMDS near format) and (encryption near key) 10 (TMDS near format) and (encryption near key) 11 (TMDS near format) and (encryption near key) 12 (TMDS near format) and (encryption near key) 13 (TMDS near format) and (encryption near key) 14 (TMDS near format) and (encryption near key))) and (EPO; JPO; DERWENT; IBM TDB (EPO; JPO; DERWENT; IBM TDB) 15 (TMDS near format) and (encryption near key))) and (ePO; JPO; DERWENT; IBM TDB)	02/25 09:14 02/25 10:57 02/25 09:15
(TMDS near format) EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; IBM TDB	02/25 09:15
TMDS near format TMDS near (encryption near library in the properties of the proper	02/25 09:15
TMDS near format IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB	02/25 09:15
TMDS near format 19 TMDS near format USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	02/25 09:15
The second representation of the second representation representation of the second representation of the second representation representation representation representation representation representation representation representation representation	
The second of th	
- Total decoder and (display near unit) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; (memory or eeprom) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB	
- 0 (TMDS near format) and (encryption near key) - 7657 decoder and (display near unit) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB	
key) Comparison of the content of	
Total decoder and (display near unit) and USPAT; 1BM TDB USPAT; 2004/(memory or eeprom) USPAT; 2004/(DERWENT; 1BM TDB) USPAT; 1BM TDB USPAT; 14 (stor\$3 near (encrypted near key)) and USPAT; 2004/(DERWENT; 1BM TDB))2/25 09:40
Total decoder and (display near unit) and USPAT; 1BM TDB USPAT; 2004/(US-PGPUB; EPO; JPO; DERWENT; 1BM TDB USPAT; 1BM TDB USPAT; 14 (stor\$3 near (encrypted near key)) and USPAT; 2004/)2/25 09:40
- 7657 decoder and (display near unit) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB - 14 (stor\$3 near (encrypted near key)) and USPAT; 2004/)2/25 09:40
- 7657 decoder and (display near unit) and USPAT; 2004/(US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/(USPAT; 2004/(USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/(USPAT; 2004	02/25 09:40
(memory or eeprom) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; 2004/	
DERWENT; IBM TDB 14 (stor\$3 near (encrypted near key)) and USPAT; 2004/	
IBM TDB USPAT; 2004/	
- 14 (stor\$3 near (encrypted near key)) and USPAT; 2004/	
- 14 (stor\$3 near (encrypted near key)) and USPAT; 2004/	
1 I (decoder and (display near unit) and I US-PGPUB: I	02/25 10:38
(memory or eeprom)) EPO; JPO; DERWENT;	
IBM TDB	
	02/25 10:39
(EX)) US-PGPUB;	= = = • • • •
EPO; JPO;	
DERWENT;	
IBM_TDB	
	02/25 10:39
KEY)) US-PGPUB;	
EPO; JPO; DERWENT;	
IBM TDB	
	02/25 10:39
OR KEY)) AND ((RECEIV\$3 near US-PGPUB;	
((encryptION near key) OR KEY))) EPO; JPO;	
DERWENT;	
IBM_TDB	00/05 10 40
	02/25 10:40
OR KEY))) AND ((RECEIV\$3 near US-PGPUB; ((encryptION near key) OR KEY)))) AND EPO; JPO;	
(encrypt;3 near (encryption near key) DERWENT;	
key))	
	02/25 10:41
OR KEY))) AND ((RECEIV\$3 near US-PGPUB;	
((encryptION near key) OR KEY)))) AND EPO; JPO;	
(encrypt\$3 near ((encryption near key) DERWENT;	
key))) AND (stor\$3 near ((encrypted near IBM_TDB	
key) key)) - 64 (((((TRANSMIT\$3 near ((encryptION near USPAT; 2004/	02/25 10:51
- 64 (((((TRANSMIT\$3 near ((encryptION near USPAT; 2004/ key) OR KEY))) AND ((RECEIV\$3 near US-PGPUB;	15153 IO:31
((encryptION near key) OR KEY)))) AND EPO; JPO;	
(encrypt\$3 near ((encryption near key) DERWENT;	
key))) AND (stor\$3 near ((encrypted near IBM_TDB	
key) key))) and eeprom and memory and	
display	20/05
1 1 1 1	02/25 10:51
US-PGPUB;	
EPO; JPO; DERWENT;	
IBM TDB	
	02/25 10:51
US-PGPUB;	· · - _
EPO; JPO;	
DERWENT;	
IBM TDB	

_	0	(TMDS near format) and (izc near protocol)	USPAT; US-PGPUB;	2004/02/25 10:53
.			EPO; JPO; DERWENT;	
	8	(MMDC many format) and manager and	IBM_TDB USPAT;	2004/02/25 11:01
-	°	(TMDS near format) and memory and ("display unit" tv dvd)	US-PGPUB;	2004/02/23 11.01
		(display diffe of dray	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1		USPAT	2004/02/25 11:04
-	928	encryption and (conditional near access)	USPAT; US-PGPUB;	2004/02/25 11:22
			EPO; JPO;	
			DERWENT;	
	ļ '		IBM_TDB	
-	19	(encryption and (conditional near access))	USPAT;	2004/02/25 13:11
		and ((encrypt\$3 and stor\$3) near	US-PGPUB;	
		(encryption near key))	EPO; JPO; DERWENT;	
			IBM TDB	
-	450580	((integrated near circuit) or (ic near	USPAT;	2004/02/25 13:14
		card) and decod\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	57256	(((integrated near circuit) or (ic near	USPAT;	2004/02/25 13:14
		card)) and decod\$3)	US-PGPUB;	
			EPO; JPO;	
	2		DERWENT; IBM TDB	
_	55	((((integrated near circuit) or (ic near	USPAT;	2004/02/25 13:41
		card)) and decod\$3)) and (us\$3 near	US-PGPUB;	
		(decrypted near (data info)))	EPO; JPO;	
			DERWENT;	
1_	6	(((((integrated near circuit) or (ic near	IBM_TDB USPAT;	2004/02/25 14:30
		card)) and decod\$3)) and (us\$3 near	US-PGPUB;	2001, 02, 00 21101
	1	(decrypted near (data info)))) and	EPO; JPO;	•
		(authentication near (data info))	DERWENT;	
_	1		IBM_TDB USPAT	2004/02/25 14:09
_	1 1		USPAT	2004/02/25 14:09
_	1		USPAT	2004/02/25 14:09
-	6003	(authentication near (key data info))	USPAT;	2004/02/25 14:31
	[US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	, , ,	USPĀT;	2004/02/25 14:32
		and (source near info)	US-PGPUB;	
			EPO; JPO; DERWENT;	1
			IBM TDB	
-	134	((authentication near (key data info)))	USPĀT;	2004/02/25 14:41
		and (authenticat\$3 near sender)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	(((authentication near (key data info)))	USPĀT;	2004/02/25 14:33
		and (authenticat\$3 near sender)) and	US-PGPUB;	
		(analog near "display unit")	EPO; JPO;	
1			DERWENT; IBM TDB	
-	30	(((authentication near (key data info)))	USPAT;	2004/02/25 14:33
		and (authenticat\$3 near sender)) and	US-PGPUB;	
		(analog and digital)	EPO; JPO;	
			DERWENT; IBM TDB	
L	L	<u> </u>	TEM TOB	I

-	84	(((authentication near (key data info)))	USPAT;	2004/02/25 14:42
		and (authenticat\$3 near sender)) and (authenticat\$3 near key)	US-PGPUB; EPO; JPO;	
		(DERWENT;	
	1007107	,,,, ., ., ., ., ., ., ., ., ., ., ., .	IBM_TDB	
_	1007197	<pre>((((authentication near (key data info))) and (authenticat\$3 near sender)) and</pre>	USPAT; US-PGPUB;	2004/02/25 14:42
		(authenticat\$3 near key)) or digital	EPO; JPO;	
			DERWENT;	
	74	////	IBM_TDB	2004/02/25 14:42
-	/4	<pre>((((authentication near (key data info))) and (authenticat\$3 near sender)) and</pre>	USPAT; US-PGPUB;	2004/02/25 14:42
		(authenticat\$3 near key)) and digital	EPO; JPO;	
			DERWENT;	
_	17	((((authentication near (key data info)))	IBM_TDB USPAT;	2004/02/25 14:55
	'	and (authenticat\$3 near sender)) and	US-PGPUB;	2004/02/23 14.33
		(authenticat\$3 near key)) and analog	EPO; JPO;	
			DERWENT;	
_	49	encrypted near authentication near key	IBM_TDB USPAT;	2004/02/25 17:22
		energy car near admentication near key	US-PGPUB;	2001/02/23 17.22
			EPO; JPO;	
			DERWENT; IBM TDB	
_	6732	transmit\$3 near key	USPAT;	2004/02/25 17:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1	(encrypt\$3 near key) and (stor\$3 near key)	USPAT;	2004/02/25 17:23
		and ((analog digital) near ("display unit"	US-PGPUB;	
		monitor)) and (transmit\$3 near key)	EPO; JPO; DERWENT;	
			IBM TDB	
-	7	(encrypt\$3 near ((authentication	USPAT;	2004/02/25 17:24
		encryption) near key)) and (stor\$3 near	US-PGPUB;	
		key) and "encryption protocol" and memory and (transmit\$3 near key)	EPO; JPO; DERWENT;	
		,, ,, ,, ,, ,, ,	IBM_TDB	
_	16256	receiv\$3 near key	USPĀT;	2004/02/25 17:44
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	457	receiv\$3 near (encryption near key)	USPĀT; US-PGPUB;	2004/02/25 17:44
			EPO; JPO;	
			DERWENT;	
_	1	(encrypt\$3 near key) and (stor\$3 near key)	IBM_TDB USPAT;	2004/02/25 17:45
		and ((analog digital) near ("display unit"	US-PGPUB;	2004/02/23 17:45
		monitor)) and (receiv\$3 near (encryption	EPO; JPO;	
		near key))	DERWENT;	
_	185	(encrypt\$3 near key) and (stor\$3 near key)	IBM_TDB USPAT;	2004/02/25 17:46
		and (receiv\$3 near (encryption near key))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	42	((encrypt\$3 near key) and (stor\$3 near	USPAT;	2004/02/26 08:51
		key) and (receiv\$3 near (encryption near	US-PGPUB;	
		key))) and (integrated near circuit)	EPO; JPO;	
			DERWENT; IBM TDB	
-	1	((encrypt\$3 near key) and (stor\$3 near	USPĀT;	2004/02/26 08:56
		key) and (receiv\$3 near (encryption near	US-PGPUB;	
		key))) and (integrated near circuit) and (authenticat\$3 near sender)	EPO; JPO; DERWENT;	
		(auchemeteacy) hear sender/	IBM TDB	
·				·

-	1970	communication and (authenticat\$3 near	USPAT;	2004/02/26 08:58
		(sender client))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	695	(communication and (authenticat\$3 near	USPAT;	2004/02/26 08:58
	0,3	(sender client))) and ((message data) near	US-PGPUB;	2001, 02, 20 00.00
		authenticat\$3)	EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
_	149	((communication and (authenticat\$3 near	USPĀT;	2004/02/26 09:17
		(sender client))) and ((message data) near	US-PGPUB;	
		authenticat\$3)) and (authentication near	EPO; JPO;	
		key)	DERWENT;	
ļ	٠.,		IBM_TDB	2004/02/26 20:17
-	96	(((communication and (authenticat\$3 near	USPAT;	2004/02/26 09:17
		<pre>(sender client))) and ((message data) near authenticat\$3)) and (authentication near</pre>	US-PGPUB; EPO; JPO;	
		key)) and (digital near signature)	DERWENT;	
		key// and (digital near signature/	IBM TDB	
_	2	((((communication and (authenticat\$3 near	USPAT;	2004/02/26 09:24
	_	(sender client))) and ((message data) near	US-PGPUB;	2001, 02, 20 03121
		authenticat\$3)) and (authentication near	EPO; JPO;	
		key)) and (digital near signature)) and	DERWENT;	
		(receiv\$3 near (encryption near key))	IBM_TDB	
-	2	6085323.pn.	USPĀT;	2004/02/26 09:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		/	IBM_TDB	2004/02/26 09:45
-	2	<pre>(encrypt\$3 near key) and (stor\$3 near key) and ((analog) near ("display unit"</pre>	USPAT; US-PGPUB;	2004/02/26 09:45
1		and ((analog) near (display unit monitor))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	134263	display near unit	USPAT;	2004/02/26 11:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	59		USPAT;	2004/02/26 11:59
		digital) near "display unit")	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	((display near unit) and ((analog and	USPAT;	2004/02/26 11:58
		digital) near "display unit")) and	US-PGPUB;	
	1	((digital near signature) or	EPO; JPO;	
	1	(authenticat\$3 near sender))	DERWENT;	
	1		IBM_TDB	
-	3	((display near unit) and ((analog and	USPAT;	2004/02/26 11:59
		digital) near "display unit")) and memory	US-PGPUB;	
		and ic	EPO; JPO;	
	1		DERWENT;	
1_	27	((dienlay near unit) and ((analog and	IBM_TDB USPAT;	2004/02/26 12:00
	"	((display near unit) and ((analog and digital) near "display unit")) and memory	US-PGPUB;	2004/02/20 12:00
	1	algreat, heat display unit // and memory	EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	
-	0	((display near unit) and ((analog and	USPĀT;	2004/02/26 12:00
	1	digital) near "display unit")) and izc and	US-PGPUB;	
		tmds	EPO; JPO;	
			DERWENT;	
		[IBM_TDB	0004/00/00 55
-	0	((display near unit) and ((analog and	USPAT;	2004/02/26 12:00
		digital) near "display unit")) and izc	US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM TDB	
			100	L

-	1	((display near unit) and ((analog and	USPAT;	2004/02/26 12:05
		digital) near "display unit")) and tmds	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
l _	66	tmds and (display near unit)	USPAT;	2004/02/26 12:06
		times and (display hear diffe)	US-PGPUB;	2004702720 12.00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	(tmds and (display near unit)) and	USPAT;	2004/02/26 15:42
	'	encryption	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/06 10 07
_	0	(tmds and (display near unit)) and	USPAT;	2004/02/26 12:07
ļ		(authentication near key)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	19	tmds and encryption	USPAT;	2004/02/26 15:42
	1	cmas and eneryperon	US-PGPUB;	2001/02/20 13:42
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(tmds and encryption) and @pd=20000125	USPĀT;	2004/02/26 15:43
		_	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/06 15 44
-	0	(tmds and encryption) and @pd<=20000125	USPAT;	2004/02/26 15:44
	1	•	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	(tmds and encryption) and @pd<20000125	USPAT;	2004/02/26 15:44
		(chias and choryperon, and cpa seconder	US-PGPUB;	2001, 02, 20 20.11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	(tmds and encryption) and @pd>20000125	USPAT;	2004/02/26 15:45
			US-PGPUB;	j
			EPO; JPO;	
			DERWENT;	
_	1272	tmds	IBM_TDB USPAT;	2004/02/26 15:45
_	13/2	Cinas	US-PGPUB;	2007/02/20 13:43
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	853	tmds and @pd>20000125	USPĀT;	2004/02/26 15:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/05 15 15
-	535	tmds and @pd<20000125	USPAT;	2004/02/26 15:46
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	(tmds and @pd<20000125) and (encrypt\$3	USPAT;	2004/02/26 15:47
		near key)	US-PGPUB;	
		-1'	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	(tmds and 0pd<20000125) and (display near	USPĀT;	2004/02/26 15:50
		unit)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L		IBM TDB	

-	10	(tmds and @pd<20000125) and (dvd tv)	USPAT;	2004/02/26 15:54
			US-PGPUB;	
		•	EPO; JPO; DERWENT;	
			IBM TDB	1
_	l ol	(tmds and @pd<20000125) and (I2c)	USPAT;	2004/02/26 15:55
		(chias and cpa issociate, and (150)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(tmds and @pd<20000125) and (I2c near	USPĀT;	2004/02/26 15:55
		protocol)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	78	Tio many mystage	IBM_TDB USPAT;	2004/02/26 15:55
-	/°	I2c near protocol	US-PGPUB;	2004/02/26 13:33
			EPO; JPO;	Į l
1	1		DERWENT;	
			IBM TDB	
_	0	(I2c near protocol) and tmds	USPAT;	2004/02/26 15:56
!		-	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
1	_		IBM_TDB	0004/00/05 15 55
-	3	(I2c near protocol) and (display near	USPAT;	2004/02/26 16:00
		unit)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
<u> </u>	1		USPAT	2004/02/26 15:57
_	1		USPAT	2004/02/26 15:57
l _	1		USPAT	2004/02/26 15:57
_	. 1		USPAT	2004/02/26 15:57
-	1		USPAT	2004/02/26 15:58
-	362	(display near unit) and (graphics near	USPAT;	2004/02/26 16:01
		controller) and ram and cpu	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		//disular many waith and /amarbias many	IBM_TDB	2004/02/26 16:02
-	0	((display near unit) and (graphics near controller) and ram and cpu) and ((key	USPAT; US-PGPUB;	2004/02/26 16:02
		near (encryption decryption)) near	EPO; JPO;	
		circuit)	DERWENT;	
			IBM TDB	
_	5	((display near unit) and (graphics near	USPAT;	2004/02/26 16:46
		controller) and ram and cpu) and	US-PGPUB;	
		(encryption decryption)	EPO; JPO;	
			DERWENT;	
		COLUMN	IBM_TDB	0004/00/05 55 55
-	2	6014745.pn.	USPAT;	2004/02/26 17:48
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	40	i2c and authenticat\$3	USPAT;	2004/02/26 17:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(i2c and authenticat\$3) and (dvi near	USPAT;	2004/02/26 17:51
		connector)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l _	1004	regaines near (energypted near data)	IBM_TDB USPAT;	2004/02/26 17:59
-	1004	receiv\$3 near (encrypted near data)	US-PGPUB;	2004/02/20 17:39
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L				l

				T 0 0 0 4 0 0 10 0 0 0 0 0 0 0 0 0 0 0 0
-	1170	receiv\$3 near (encrypted near (signal info data))	USPAT; US-PGPUB;	2004/02/26 17:59
		data;;	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	580475	analog	USPĀT;	2004/02/26 18:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	/ / 1
_	284	1 '	USPAT;	2004/02/26 18:00
ļ .		info data))) and analog	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	276	((receiv\$3 near (encrypted near (signal	USPĀT;	2004/02/26 18:00
		info data))) and analog) and digital	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1.0	/// 02 /	IBM_TDB	2004/02/26 10:34
-	12	(((receiv\$3 near (encrypted near (signal info data))) and analog) and digital) and	USPAT; US-PGPUB;	2004/02/26 18:34
		(authenticat\$3 near (sender owner))	EPO; JPO;	
		(addictionated field (Sender Owner))	DERWENT;	
			IBM TDB	
-	4	hdcp near engine	USPAT;	2004/02/26 18:51
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	2	4382279.pn.	IBM_TDB USPAT;	2004/02/27 09:23
-		4302273.pii.	US-PGPUB;	2004/02/2/ 03.23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1004	receiv\$3 near (encrypted near data)	USPAT;	2004/02/27 09:24
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	l 0	(receiv\$3 near (encrypted near data)) and	USPAT;	2004/02/27 09:24
		i2c	US-PGPUB;	
	:		EPO; JPO;	
			DERWENT;	
		/	IBM_TDB USPAT;	2004/02/27 09:25
-	3	(receiv\$3 near (encrypted near data)) and tmds	USPAT; US-PGPUB;	2004/02/21 09:25
		Linds	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	1 (USPĀT;	2004/02/27 10:22
		(pixel near data)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	l 0	receiv near (encryption near key)	USPAT;	2004/02/27 10:22
	I		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/03 10 00
-	458	receiv\$4 near (encryption near key)	USPAT; US-PGPUB;	2004/02/27 10:23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	(receiv\$4 near (encryption near key)) and	USPĀT;	2004/02/27 10:24
		(analog near (display near unit))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM TDB	<u> </u>

	0	(receiv\$4 near (encryption near key)) and	USPAT;	2004/02/27 10:23
_		(digital near (display near unit))	US-PGPUB;	2004/02/2/ 10.23
			EPO; JPO;	-
			DERWENT;	
			IBM TDB	
_	88	(receiv\$4 near (encryption near key)) and	USPAT;	2004/02/27 11:01
_	""	(analog)	US-PGPUB;	2004/02/2/ 11:01
		(analog)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	24905	computer near monitor	USPAT;	2004/02/27 11:01
	24703	Compacer near monicor	US-PGPUB;	2004,02,2, 11.01
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	75	(computer near monitor) and (display near	USPAT;	2004/02/27 11:39
	, ,	(analog near signal))	US-PGPUB;	2001,02,2: 11.33
		(unalog hear signar)	EPO; JPO;	
	İ		DERWENT;	
			IBM TDB	
_	0	((computer near monitor) and (display near	USPAT;	2004/02/27 11:39
		(analog near signal))) and (i2c near	US-PGPUB;	
		protocol)	EPO; JPO;	
		P200002/	DERWENT;	
			IBM TDB	
_	78	(i2c near protocol)	USPAT;	2004/02/27 11:39
		(US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	(i2c near protocol) and tmds	USPAT;	2004/02/27 12:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(i2c near protocol) and (computer near	USPAT;	2004/02/27 14:57
		monitor)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1		USPAT	2004/02/27 13:24